

1021-1676 02-02-2012

1
14

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001



OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

February 2, 2012

Stephen K. Ditto
Regulatory Affairs
McLaughlin Gormley King Company
8810 Tenth Avenue North
Minneapolis, MN 55427

Subject: Amended Reregistration Label
Product Name: EVERCIDE® Total Release Aerosol 2615
EPA Registration Number: 1021-1676
EPA Decision Numbers: 410895, 412413, 414413

Dear Mr. Ditto:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the Pyrethrins, Piperonyl Butoxide, and MGK 264 REDs, and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated 3 June, 2011



A copy of your label stamped "Accepted" is enclosed along with copies of the acute

2
14

toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Clayton Myers at 703-347-8874 or myers.clayton@epa.gov.

Sincerely,


 Richard J. Gebken
Product Manager
Insecticide Branch
Registration Division (7505P)

*Enclosures: Label stamped "Accepted," dated February 2, 2012
Acute Toxicity Review, dated September 30, 2010
Product Chemistry Review, dated July 20, 2011*

MGK®**McLAUGHLIN
GORMLEY
KING COMPANY****EVERCIDE® Total Release Aerosol 2615**
[RESIDENTIAL SECTION OF LABEL]
[This label will be available in Spanish]**8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341**

[] OR () indicates alternate or optional wording

[Nylar®] [brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth or development

[Nylar®] [brand name] stops [prevents] the flea from developing into egg laying adults

[Nylar®] [brand name] can be used as part of an integrated pest management [IPM] program

[Nylar®] [brand name] can be a biorational approach to insect control

[Nylar®] [brand name] keeps working in areas exposed to the sun

Inhibits reinfestation by cockroaches for up to 180 days [26 weeks] [6 months]

Kills [controls] existing cockroaches and effectively breaks the cockroach life cycle

Works with nature to interrupt [break] the life cycle of the cockroach Effectively controls [eliminates] cockroach populations by preventing reproduction [thereby eliminating future generations]

[Nylar®] [brand name] keeps working on cockroaches for 180 days [26 weeks] [6 months]

Stops cockroaches from generating reproductive offspring

Prevents [stops] [inhibits] nymphal cockroaches from becoming adults

[breeding adults] [reproductive adults] [egg laying adults]

[Nylar®] [brand name] works for 180 days [26 weeks] [6 months] against hatching cockroaches [nymphal (preadult) cockroaches] [hatching eggs (nymphs)]

Inhibits reinfestation by fleas for up to 210 days [30 weeks] [7 months]

Kills adult and preadult fleas, including flea eggs for 210 days [30 weeks] [7 months]

If adult fleas are introduced from untreated areas, their offspring will not become biting [reproductive] adults

Prevents fleas from developing into the biting adult stage

Prevents [stops] eggs, hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults

One treatment works for 210 days [30 weeks] [7 months] against eggs, hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

Kills present [today's] fleas and prevents new [tomorrow's] fleas from growing up to bite

[Nylar®] [brand name] keeps working on fleas for 210 days [30 weeks] [7 months]

Controls [stops (kills) (prevents)] stages of fleas that don't resemble fleas

Kills Ticks, Spiders, Ants and other listed insects

Also kills [controls] Deer Ticks and other Ticks that may carry and transmit Lyme disease]

[ONE (2 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 16 ft. x 16 ft. WITH AN 8 ft. CEILING OR 2,000 CUBIC FEET OF UNOBSTRUCTED SPACE.]

[ONE (3 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 20 ft. x 20 ft. WITH AN 8 ft. CEILING OR 3,000 CUBIC FEET OF UNOBSTRUCTED SPACE.]

[ONE (4 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 22 ft. x 22 ft. WITH AN 8 ft. CEILING OR 4,000 CUBIC FEET OF UNOBSTRUCTED SPACE.]

[ONE (5 ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 25 ft. x 25ft. WITH AN 8 ft. CEILING OR 5,000 CUBIC FEET OF UNOBSTRUCTED SPACE.]

[ONE (6 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 27 ft. x 27 ft WITH AN 8 ft. CEILING OR 6,000 CUBIC FEET OF UNOBSTRUCTED SPACE.]

ACTIVE INGREDIENTS:

Pyrethrins	0.05%
* Piperonyl butoxide	0.10%
** N-Octyl bicycloheptene dicarboximide	0.16%
(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate.....	0.10%
*** 2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.60%
OTHER INGREDIENTS	98.99%
	100.000%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

** MGK® 264, Insecticide Synergist

*** NYLAR®

EVERCIDE®, MGK®, and NYLAR® - Registered trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN**CAUTION****See side/back panel for first aid and other precautionary statements.**ACCEPTED
FEB 2 2012**Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for the
pesticide registered under:****EPA. Reg. No.:** 1021-1676

4
14

FIRST AID	
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

Net Contents _____
 Manufactured by:
 Mc LAUGHLIN GORMLEY KING COMPANY
 8810 Tenth Avenue North
 Minneapolis, MN 55427

EPA Reg. No. 1021-1676

EPA Est. No. 1021-MN-2

PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Breathing spray mist may be harmful. Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS



Highly Flammable Ingredient

Ingrediente Altamente Inflamable

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

[EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] contains a combination of three active ingredients that stops [blocks (interrupts) (terminates)] the cockroach and flea life cycle in three ways and controls [kills] other listed insects. The first active ingredient is [NYLAR®] [brand name], an insect growth regulator that does not allow the cockroach or flea to reproduce viable offspring, thereby providing long-term [residual] control. [Nylar®] [brand name] inhibits development of the immature stages of the cockroach and flea preventing them from reaching the adult stage. [Nylar®] [brand name] is similar to insect growth hormones that occur naturally in insects causing interference with their growth and development.

[EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] with [Nylar®] [brand name] will inhibit [stop] the cockroaches' natural ability to reproduce, thereby eliminating future generations and contains an active ingredient [adulticide] that kills existing cockroaches. This powerful formula reaches cockroaches through cracks and crevices to kill them where they hide. Cockroaches exposed to [Nylar®] [brand name] will have crinkled wings, showing it has affected the population and that these cockroaches cannot reproduce. Immature cockroaches [nymphs] are prevented from developing into reproductive adults, thereby effectively breaking the cockroach life cycle.

[EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] inhibits the cockroach's natural ability to reproduce future generations by preventing [stopping] [inhibiting] nymphal cockroaches from becoming adults [breeding adults] [reproductive adults] [egg laying adults].

[This fogger] [brand name] kills adults, eggs and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. It kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] [before they grow up to bite]. [Nylar®] [brand name], the insect growth regulator in this fogger, continues to kill [control] eggs, hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for 210 days [30 weeks] [7 months] by preventing their development into the adult biting stage. [EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] can be used to control [kill (interrupt) (terminate) (block)] fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floors, cracks, crevices and cabinets. Occasionally, adult fleas may be present in treated areas when reintroduced from infested animals.

5
14

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn] [home and garden] spray, [brand name] [pressurized] flea and tick [indoor] [premise] spray.

Kills insects] [such as]:

Almond Moths	Dermestids [Carpet Beetles (Trogoderma)]	Merchant Grain Beetles
American Cockroaches [adults (nymphs)]	Drugstore Beetles	Midges
American Dog Ticks	Dust Mites	Millipedes
Angoumois Grain Moths	Earwigs	Mosquitoes
Asian Cockroaches [adults (nymphs)]	Elm Leaf Beetles	Oriental Cockroaches [adults (nymphs)]
Australian Cockroaches [adults (nymphs)]	Firebrats	Other Ixodid Species
	Flat Grain Beetles	Palmetto Bugs [adults (nymphs)]
Beetles	Fleas [adults (larvae) (eggs) (pre-adult)]	Pillbugs
Booklice	Flies	Red Flour Beetles
Boxelder Bugs	Flour Beetles	Rice Weevils
Brown-banded Cockroaches [adults (nymphs)]	Flying Moths	Saw-toothed Grain Beetles
Brown Dog Ticks	Foraging Ants [Fire Ants] [Pharaoh Ants]	Sciarid Flies
Cadelles	German Cockroaches [adults (nymphs)]	Scorpions
Carpenter Ants [Eastern (Western)]	Gnats	Silverfish
Carpenter Bees	Grain Mites	Smokey Brown Cockroaches [adults (nymphs)]
Centipedes	Grain Weevils	Sowbugs
Cheese Mites	Granary Insects	Spiders
Chocolate Moths	Ground Beetles	Ticks [that carry and . transmit
Cigarette Beetles	Gulf Coast Ticks	Lyme disease]
Clover Mites	Hornets	Tobacco Moths
Cluster Flies	Indian Meal Moths	Warehouse Beetles
Cockroaches [adults (nymphs)]	Indian Mealworms	Wasps
Confused Flour Beetles	Lesser Grain Borers	Waterbugs [adults (nymphs)]
Crickets [adults (nymphs)]	Lice	Wood Borers (exposed stages)
Deer Ticks	Lone Star Ticks	Yellow Jackets [Eastern (Western)]

For use indoors in [including, but not limited to] [such as]:

Apartments, , Attics, , Basements, , Boats, Cabins, Campers, Cat Sleeping Quarters, Closed Porches, , Condominiums, Dens, , , Garages, Homes, Kennels, Kitchens, , Living Rooms, Pet Sleeping Areas, , Solariums, , Sun Rooms.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product

6
14

in a manner inconsistent with its labeling.

[STOP!] READ ENTIRE LABEL BEFORE EACH USE

Does not control bed bugs.

GENERAL PRECAUTIONS AND RESTRICTIONS:

Do not apply this product in a manner that will contact adults, children or pets either directly or through drift.

For use only when building has been vacated by human beings and pets.

Avoid contamination of food or feedstuffs Do not treat establishments where livestock feed is present

Wait two (2) hours after application, then open windows, vents and doors for two (2) hours If an odor is still detectable, continue ventilating until there is no remaining odor of pesticide

TO USE THIS PRODUCT CORRECTLY:

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. ***Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property.*** Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. ***Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).*** Call your gas utility or management company if you need assistance with your pilot lights.

EPA PRE-APPROVED PICTOGRAM 1 representing "Do Not Use Multiple Canisters in a room"

EPA PRE-APPROVED PICTOGRAM 2 representing "Do Not Use in Small Confined Spaces"

EPA PRE-APPROVED PICTOGRAM 3 representing "Unplug and Turn off ignition sources"

EPA PRE-APPROVED PICTOGRAM 4 representing "No flames or pilot lights"

Use only one canister of fogger to treat a room up to 16 ft. x 16 ft with an 8 ft. ceiling or 2,000 cubic ft. of unobstructed space. [20 ft. x 20 ft. with an 8 ft. ceiling or 3,000 cubic ft. of unobstructed space] [22 ft. x 22 ft. with an 8 ft. ceiling or 4,000 cubic ft. of unobstructed space][25 ft. x 25ft. with an 8 ft. ceiling or 5,000 cubic feet of unobstructed space.][27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic feet of unobstructed space.]

BEFORE YOU FOG:

In the home, do not apply when food is present. Exposed food should be covered or removed. All food preparation surfaces and utensils should be covered during treatment or thoroughly washed before use. EPA PRE-APPROVED PICTOGRAM 5 representing "Remove or Cover Exposed Food"

Close outside doors and windows. Shut off fans, air conditioners, and ventilation equipment. Put out all flames, pilot lights and other ignition sources. Call your gas utility or management company if you need assistance.

Remove pets and birds, cover and turn off fish aquariums before activating fogger.

Place a chair, small table or stand in the center of the room to be treated and cover with newspaper

Cover wood floors and wood furniture in the immediate area around fogger with newspapers or a drop cloth. Open cabinets, cupboards, drawers, closets and doors in areas to be treated

Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours.


7
14

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

TO START FOGGING: : . Point fogger away from face and eyes when releasing (container sprays straight up). To lock valve in open position for automatic discharge, press valve button down firmly, until it snaps into place. [Break off and remove tab on side of sprayer. Tilt sprayer away from face (container sprays straight up).] Then place the fogger on the stand or table in the center of the room.

Vacate the treated house, individual apartment unit or other structure immediately. Do not remain in the area during treatment. Keep treated area closed for two (2) hours.

Do not Re-enter for 2 hours



AIRING OUT: Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required.

EPA PRE-APPROVED PICTOGRAM 6 Representing "Air out the Room Before Entering"

For more effective control of Cockroaches [Smokey Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach], [Crickets, (Waterbugs and Palmetto Bugs)] and storage pests [Flour Beetles, Cigarette Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Saw-toothed Grain Beetles, Grain Weevils, Warehouse Beetles, Red Flour Beetles, Confused Flour Beetles] open all cupboard doors [kitchen, bathrooms, pantry], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Keep container closed. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal and Container Handling

Do Not Puncture or Incinerate!

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions.



Federal regulations prohibit
CFC propellants in aerosols

[DOOR HANG TAG LANGUAGE]

8
14

DO NOT ENTER UNTIL: _____ ON THIS DATE: _____

MGK®**McLAUGHLIN
GORMLEY
KING COMPANY****EVERCIDE® Total Release Aerosol 2615**
[COMMERCIAL PORTION OF LABEL]
[This label will be available in Spanish]**8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341**

[] OR () indicates alternate or optional wording

[Nylar®] [brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth or development

[Nylar®] [brand name] stops [prevents] the flea from developing into egg laying adults

[Nylar®] [brand name] can be used as part of an integrated pest management [IPM] program

[Nylar®] [brand name] can be a biorational approach to insect control
[Nylar®] [brand name] keeps working in areas exposed to the sun

Inhibits reinfestation by cockroaches for up to 180 days [26 weeks] [6 months]

Kills [controls] existing cockroaches and effectively breaks the cockroach life cycle

Works with nature to interrupt [break] the life cycle of the cockroach
Effectively controls [eliminates] cockroach populations by preventing reproduction [thereby eliminating future generations]

[Nylar®] [brand name] keeps working on cockroaches for 180 days [26 weeks] [6 months]

Stops cockroaches from generating reproductive offspring

Prevents [stops] [inhibits] nymphal cockroaches from becoming adults
[breeding adults] [reproductive adults] [egg laying adults]

[Nylar®] [brand name] works for 180 days [26 weeks] [6 months] against hatching cockroaches [nymphal (preadult) cockroaches] [hatching eggs (nymphs)]

Inhibits reinfestation by fleas for up to 210 days [30 weeks] [7 months]

Kills adult and preadult fleas, including flea eggs for 210 days [30 weeks] [7 months]

If adult fleas are introduced from untreated areas, their offspring will not become biting [reproductive] adults

Prevents fleas from developing into the biting adult stage

Prevents [stops] eggs, hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults

One treatment works for 210 days [30 weeks] [7 months] against eggs, hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

Kills present [today's] fleas and prevents new [tomorrow's] fleas from growing up to bite

[Nylar®] [brand name] keeps working on fleas for 210 days [30 weeks] [7 months]

Controls [stops (kills) (prevents)] stages of fleas that don't resemble fleas

Kills Ticks, Spiders, Ants and other listed insects

Also kills [controls] Deer Ticks and other Ticks that may carry and transmit Lyme disease]

[ONE (2 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 16 ft. x 16 ft. WITH AN 8 ft. CEILING OR 2,000 CUBIC FEET OF UNOBSTRUCTED SPACE.]

[ONE (3 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 20 ft. x 20 ft. WITH AN 8 ft. CEILING OR 3,000 CUBIC FEET OF UNOBSTRUCTED SPACE]

[ONE (4 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 22 ft. x 22 ft. with an 8 ft. CEILING OR 4,000 CUBIC FEET OF UNOBSTRUCTED SPACE.]

[ONE (5 ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 25 ft. x 25ft. with an 8 ft. CEILING OR 5,000 CUBIC FEET OF UNOBSTRUCTED SPACE.]

[ONE (6 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 27 ft. x 27 ft with an 8 ft. CEILING OR 6,000 CUBIC FEET OF UNOBSTRUCTED SPACE.]

ACTIVE INGREDIENTS:

Pyrethrins	0.05%
* Piperonyl butoxide	0.10%
** N-Octyl bicycloheptene dicarboximide	0.16%
(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate.....	0.10%

*** 2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine 0.60%

OTHER INGREDIENTS..... 98.99%

100.000%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

** MGK® 264, Insecticide Synergist

*** NYLAR®

EVERCIDE®, MGK®, and NYLAR® - Registered trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN**CAUTION****See side/back panel for first aid and other precautionary statements.**

12
14

FIRST AID	
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

Net Contents _____
 Manufactured by:
 Mc LAUGHLIN GORMLEY KING COMPANY
 8810 Tenth Avenue North
 Minneapolis, MN 55427

EPA Reg. No. 1021-1676

EPA Est. No. 1021-MN-2

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Breathing spray mist may be harmful. Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT

Applicators must wear: Long-sleeved shirt and long pants, shoes plus socks, Chemical-resistant gloves made of barrier laminate made of barrier laminate, nitrile rubber, neoprene rubber or viton.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separated from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing /PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

PHYSICAL OR CHEMICAL HAZARDS



Highly Flammable Ingredient

Ingrediente Altamente Inflamable

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

[EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] contains a combination of three active ingredients that stops [blocks (interrupts) (terminates)] the cockroach and flea life cycle in three ways and controls [kills] other listed insects. The first active ingredient is [NYLAR®] [brand name], an insect growth regulator that does not allow the cockroach or flea to reproduce viable offspring, thereby providing long-term [residual] control. [Nylar®] [brand name] inhibits development of the immature stages of the cockroach and flea preventing them from reaching the adult

11
14

stage. [Nylar®] [brand name] is similar to insect growth hormones that occur naturally in insects causing interference with their growth and development.

[EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] with [Nylar®] [brand name] will inhibit [stop] the cockroaches' natural ability to reproduce, thereby eliminating future generations and contains an active ingredient [adulicide] that kills existing cockroaches. This powerful formula reaches cockroaches through cracks and crevices to kill them where they hide. Cockroaches exposed to [Nylar®] [brand name] will have crinkled wings, showing it has affected the population and that these cockroaches cannot reproduce. Immature cockroaches [nymphs] are prevented from developing into reproductive adults, thereby effectively breaking the cockroach life cycle. [EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] inhibits the cockroach's natural ability to reproduce future generations by preventing [stopping] [inhibiting] nymphal cockroaches from becoming adults [breeding adults] [reproductive adults] [egg laying adults].

[This fogger] [brand name] kills adults, eggs and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. It kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] [before they grow up to bite]. [Nylar®] [brand name], the insect growth regulator in this fogger, continues to kill [control] eggs, hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for 210 days [30 weeks] [7 months] by preventing their development into the adult biting stage. [EVERCIDE® TOTAL RELEASE AEROSOL 2615] [brand name] can be used to control [kill (interrupt) (terminate) (block)] fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floors, cracks, crevices and cabinets. Occasionally, adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick pet shampoo, in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn] [home and garden] spray, [brand name] [pressurized] flea and tick [indoor] [premise] spray.

Kills insects] [such as]:

Almond Moths	Dermestids [Carpet Beetles (Trogoderma)]	Merchant Grain Beetles
American Cockroaches [adults (nymphs)]	Drugstore Beetles	Midges
American Dog Ticks	Dust Mites	Millipedes
Angoumois Grain Moths	Earwigs	Mosquitoes
Asian Cockroaches [adults (nymphs)]	Elm Leaf Beetles	Oriental Cockroaches [adults (nymphs)]
Australian Cockroaches [adults (nymphs)]	Firebrats	Other Ixodid Species
	Flat Grain Beetles	Palmetto Bugs [adults (nymphs)]
Beetles	Fleas [adults (larvae) (eggs) (pre-adult)]	Pillbugs
Booklice	Flies	Red Flour Beetles
Boxelder Bugs	Flour Beetles	Rice Weevils
Brown-banded Cockroaches [adults (nymphs)]	Flying Moths	Saw-toothed Grain Beetles
Brown Dog Ticks	Foraging Ants [Fire Ants] [Pharaoh Ants]	Sciarid Flies
Cadellés	German Cockroaches [adults (nymphs)]	Scorpions
Carpenter Ants [Eastern (Western)]	Gnats	Silverfish
Carpenter Bees	Grain Mites	Smokey Brown Cockroaches [adults (nymphs)]
Centipedes	Grain Weevils	Sowbugs
Cheese Mites	Granary Insects	Spiders
Chocolate Moths	Ground Beetles	Ticks [that carry and

12
14

		transmit
Cigarette Beetles	Gulf Coast Ticks	Lyme disease]
Clover Mites	Hornets	Tobacco Moths
Cluster Flies	Indian Meal Moths	Warehouse Beetles
Cockroaches [adults (nymphs)]	Indian Mealworms	Wasps
Confused Flour Beetles	Lesser Grain Borers	Waterbugs [adults (nymphs)]
Crickets [adults (nymphs)]	Lice	Wood Borers (exposed stages)
Deer Ticks	Lone Star Ticks	Yellow Jackets [Eastern (Western)]

For use indoors in [including, but not limited to] [such as]:

Apartments, Atriums, Attics, Automobiles, Basements, Bathrooms, Boats, Cabins, Campers, Cat Sleeping Quarters, Closed Porches, Clothes Storage, Condominiums, Dens, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Lanais, Living Rooms, Locker Rooms, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Pet Stores, Play Rooms, Railroad Cars, Recreation Vehicles, Restaurants, Rooms, Schools, Ships, Solariums, Storage Areas, Sun Rooms, Supermarkets, Taverns, Theaters, Trailers, Trucks, Utility Rooms, Verandas, Veterinary Clinics and Hospitals, Warehouses, Washrooms, and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

[STOP!]READ ENTIRE LABEL BEFORE EACH USE

Does not control bed bugs.

GENERAL PRECAUTIONS AND RESTRICTIONS:

Do not apply this product in a way that will contact workers or other persons, either directly or through drift.

For use only when building has been vacated by human beings and pets.

Avoid contamination of food or feedstuffs Do not treat establishments where livestock feed is present

Do not use in aircraft cabins

When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation.

Wait two (2) hours after application, then open windows, vents and doors for two (2) hours If an odor is still detectable, continue ventilating until there is no remaining odor of pesticide

TO USE THIS PRODUCT CORRECTLY:

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. ***Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property.*** Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. ***Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).*** Call your gas utility or management company if you need assistance with your pilot lights.

EPA PRE-APPROVED PICTOGRAM 1 representing "Do Not Use Multiple Canisters in a room"
 EPA PRE-APPROVED PICTOGRAM 2 representing "Do Not Use in Small Confined Spaces"
 EPA PRE-APPROVED PICTOGRAM 3 representing "Unplug and Turn off ignition sources"
 EPA PRE-APPROVED PICTOGRAM 4 representing "No flames or pilot lights"

Use only one canister of fogger to treat a room up to 16 ft. x 16 ft with an 8 ft. ceiling or 2,000 cubic ft. of unobstructed space. [20 ft. x 20 ft. with an 8 ft. ceiling or 3,000 cubic ft. of unobstructed space] [22 ft. x 22 ft. with an 8 ft. ceiling or 4,000 cubic ft. of unobstructed space][25 ft. x 25ft. with an 8 ft. ceiling or 5,000 cubic feet of unobstructed space.][27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic feet of unobstructed space.]

BEFORE YOU FOG:

In the home, do not apply when food is present. Exposed food should be covered or removed. All food preparation surfaces and utensils should be covered during treatment or thoroughly washed before use. EPA PRE-APPROVED PICTOGRAM 5 representing "Remove or Cover Exposed Food"

Close outside doors and windows. Shut off fans, air conditioners, and ventilation equipment. Put out all flames, pilot lights and other ignition sources. Call your gas utility or management company if you need assistance.

Remove pets and birds, cover and turn off fish aquariums before activating fogger.
 Place a chair, small table or stand in the center of the room to be treated and cover with newspaper

Cover wood floors and wood furniture in the immediate area around fogger with newspapers or a drop cloth. Open cabinets, cupboards, drawers, closets and doors in areas to be treated


Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

TO START FOGGING: Point fogger away from face and eyes when releasing (container sprays straight up). To lock valve in open position for automatic discharge, press valve button down firmly, until it snaps into place. [Break off and remove tab on side of sprayer. Tilt sprayer away from face (container sprays straight up).] Then place the fogger on the stand or table in the center of the room.

Vacate the treated house, individual apartment unit or other structure immediately. Do not remain in the area during treatment. Keep treated area closed for two (2) hours.

Do not Re-enter for 2 hours



AIRING OUT: Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required.

EPA PRE-APPROVED PICTOGRAM 6 Representing "Air out the Room Before Entering"

For more effective control of Cockroaches [Smokey Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach], [Crickets, (Waterbugs and

14
14

Palmetto Bugs)] and storage pests [Flour Beetles, Cigarette Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Saw-toothed Grain Beetles, Grain Weevils, Warehouse Beetles, Red Flour Beetles, Confused Flour Beetles] open all cupboard doors [kitchen, bathrooms, pantry], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Keep container closed. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal and Container Handling

Do Not Puncture or Incinerate!

Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions.



Federal regulations prohibit
CFC propellants in aerosols

[DOOR HANG TAG LANGUAGE]

DO NOT ENTER UNTIL: _____ ON THIS DATE: _____